

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	23	(power\$3 down or power\$3-down or spin\$4-down or spin\$4 down or spun-down or spun down) near8 (hard drive or hard dis? or hd or hdd) with (access\$3 or transaction or read or write) near8 (cache or non-volatile or flash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L2	316	((hard drive or hard dis? or hd or hdd) near6 (access\$3 or transaction or read or write)) with (complet\$3 or handl\$3 or servic\$3 or execut\$3 or perform\$3) near6 (cache or non-volatile or flash or ???ROM or persistant memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L3	15	(power\$3 down or power\$3-down or spin\$4-down or spin\$4 down or spun-down or spun down) and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L4	12	L3 not L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L5	18	((hard drive or hard dis? or hd or hdd) near4 (access\$3 or transaction or read or write)) near6 (complet\$3 or handl\$3 or servic\$3 or execut\$3 or perform\$3) near4 (cache or non-volatile or flash or ???ROM or persistant memory) same power\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L6	38	((hard drive or hard dis? or hd or hdd) near4 (access\$3 or transaction or read or write)) near6 (complet\$3 or handl\$3 or servic\$3 or execut\$3 or perform\$3) near4 (cache or non-volatile or flash or ???ROM or persistant memory) and (360/????? or 711/???)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L7	4	((hard drive or hard dis? or hd or hdd) near4 (access\$3 or transaction or read or write)) with (complet\$3 or handl\$3 or servic\$3 or execut\$3 or perform\$3) with (non-volatile cache or nvc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48

EAST Search History

L8	11	((hard drive or hard dis? or hd or hdd) with (access\$3 or transaction or read or write)) with (power\$3 down or power\$3-down or spin\$4-down or spin\$4 down or spun-down or spun down) with (non-volatile cache or non volatile cache or nvc or nvm or non-volatile memory or non volatile memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L9	1411	711/113.ccls.	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48
L10	38806	(power\$3 down or power\$3-down or spin\$4-down or spin\$4 down or spun-down or spun down)	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48
L11	86	L9 and L10	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48
L12	39	(power adj2 state) and L9	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48
L13	21	L12 not L11	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48
L14	4	L11 and intel.as.	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48
L15	316	((hard drive or hard dis? or hd or hdd) near6 (access\$3 or transaction or read or write)) with (complet\$3 or handl\$3 or servic\$3 or execut\$3 or perform\$3) near6 (cache or non-volatile or flash or ???ROM or persistant memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L16	15	(power\$3 down or power\$3-down or spin\$4-down or spin\$4 down or spun-down or spun down) and L15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L17	38806	(power\$3 down or power\$3-down or spin\$4-down or spin\$4 down or spun-down or spun down)	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48
L18	1411	711/113.ccls.	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48
L19	86	L18 and L17	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48
L20	39	(power adj2 state) and L18	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48
L21	21	L20 not L19	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48

EAST Search History

L22	23	(power\$3 down or power\$3-down or spin\$4-down or spin\$4 down or spun-down or spun down) near8 (hard drive or hard dis? or hd or hdd) with (access\$3 or transaction or read or write) near8 (cache or non-volatile or flash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L23	18	((hard drive or hard dis? or hd or hdd) near4 (access\$3 or transaction or read or write)) near6 (complet\$3 or handl\$3 or servic\$3 or execut\$3 or perform\$3) near4 (cache or non-volatile or flash or ???ROM or persistant memory) same power\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L24	12	L16 not L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L25	38	((hard drive or hard dis? or hd or hdd) near4 (access\$3 or transaction or read or write)) near6 (complet\$3 or handl\$3 or servic\$3 or execut\$3 or perform\$3) near4 (cache or non-volatile or flash or ???ROM or persistant memory) and (360/????? or 711/???)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:04
L26	4	((hard drive or hard dis? or hd or hdd) near4 (access\$3 or transaction or read or write)) with (complet\$3 or handl\$3 or servic\$3 or execut\$3 or perform\$3) with (non-volatile cache or nvc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L27	11	((hard drive or hard dis? or hd or hdd) with (access\$3 or transaction or read or write)) with (power\$3 down or power\$3-down or spin\$4-down or spin\$4 down or spun-down or spun down) with (non-volatile cache or non volatile cache or nvc or nvm or non-volatile memory or non volatile memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L28	4	L19 and intel.as.	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48

EAST Search History

L29	37	(711/112.ccls. or 711/113.ccls.) and (713/3??ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:03
L30	4	(hd or hdd or hard drive or dis?) with (cache or buffer or nvc) with (time or duration) with (power\$3 or spin\$3 or spun) with (read\$3 or access\$3) with threshold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L31	23	((hd or hard drive or dis?) with (cache or buffer or nvc) with (time or duration) with (power\$3 or spin\$3 or spun) with (read\$3 or access\$3)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L32	24	((hd or hdd or hard drive or dis?) with (cache or buffer or nvc) with (time or duration) with (power\$3 or spin\$3 or spun) with (read\$3 or access\$3)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L33	66	(power\$3 or spin\$3 or spun) near6 (hd or hdd or hard drive or dis?) with (cache or buffer or nvc) with (time or duration) with (read\$3 or access\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L34	1411	711/113.ccls.	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48
L35	39	(power adj2 state) and L34	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48
L36	23	(power\$3 down or power\$3-down or spin\$4-down or spin\$4 down or spun-down or spun down) near8 (hard drive or hard dis? or hd or hdd) with (access\$3 or transaction or read or write) near8 (cache or non-volatile or flash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:07

EAST Search History

L37	316	((hard drive or hard dis? or hd or hdd) near6 (access\$3 or transaction or read or write)) with (complet\$3 or handl\$3 or servic\$3 or execut\$3 or perform\$3) near6 (cache or non-volatile or flash or ???ROM or persistant memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L38	15	(power\$3 down or power\$3-down or spin\$4-down or spin\$4 down or spun-down or spun down) and L37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L39	12	L38 not L36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L40	38806	(power\$3 down or power\$3-down or spin\$4-down or spin\$4 down or spun-down or spun down)	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48
L41	86	L34 and L40	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48
L42	21	L35 not L41	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48
L43	4	L41 and intel.as.	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48
L44	316	((hard drive or hard dis? or hd or hdd) near6 (access\$3 or transaction or read or write)) with (complet\$3 or handl\$3 or servic\$3 or execut\$3 or perform\$3) near6 (cache or non-volatile or flash or ???ROM or persistant memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L45	15	(power\$3 down or power\$3-down or spin\$4-down or spin\$4 down or spun-down or spun down) and L44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L46	38806	(power\$3 down or power\$3-down or spin\$4-down or spin\$4 down or spun-down or spun down)	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48
L47	1411	711/113.ccls.	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48
L48	86	L47 and L46	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48

EAST Search History

L49	39	(power adj2 state) and L47	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48
L50	21	L49 not L48	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48
L51	23	(power\$3 down or power\$3-down or spin\$4-down or spin\$4 down or spun-down or spun down) near8 (hard drive or hard dis? or hd or hdd) with (access\$3 or transaction or read or write) near8 (cache or non-volatile or flash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:09
L52	18	((hard drive or hard dis? or hd or hdd) near4 (access\$3 or transaction or read or write)) near6 (complet\$3 or handl\$3 or servic\$3 or execut\$3 or perform\$3) near4 (cache or non-volatile or flash or ???ROM or persistant memory) same power\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L53	12	L45 not L51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L54	38	((hard drive or hard dis? or hd or hdd) near4 (access\$3 or transaction or read or write)) near6 (complet\$3 or handl\$3 or servic\$3 or execut\$3 or perform\$3) near4 (cache or non-volatile or flash or ???ROM or persistant memory) and (360/????? or 711/???)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L55	4	((hard drive or hard dis? or hd or hdd) near4 (access\$3 or transaction or read or write)) with (complet\$3 or handl\$3 or servic\$3 or execut\$3 or perform\$3) with (non-volatile cache or nvc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L56	11	((hard drive or hard dis? or hd or hdd) with (access\$3 or transaction or read or write)) with (power\$3 down or power\$3-down or spin\$4-down or spin\$4 down or spun-down or spun down) with (non-volatile cache or non volatile cache or nvc or nvm or non-volatile memory or non volatile memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L57	4	L48 and intel.as.	US-PGPUB; USPAT	ADJ	ON	2007/09/20 07:48

EAST Search History

L58	11	((hard drive or hard dis? or hd or hdd) with (access\$3 or transaction or read or write)) with (power\$3 down or power\$3-down or spin\$4-down or spin\$4 down or spun-down or spun down) with (non-volatile cache or non volatile cache or nvc or nvm or non-volatile memory or non volatile memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L59	18	((hard drive or hard dis? or hd or hdd) near4 (access\$3 or transaction or read or write)) near6 (complet\$3 or handl\$3 or servic\$3 or execut\$3 or perform\$3) near4 (cache or non-volatile or flash or ???ROM or persistant memory) same power\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L60	38	((hard drive or hard dis? or hd or hdd) near4 (access\$3 or transaction or read or write)) near6 (complet\$3 or handl\$3 or servic\$3 or execut\$3 or perform\$3) near4 (cache or non-volatile or flash or ???ROM or persistant memory) and (360/???? or 711/???)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:08
L61	4	((hard drive or hard dis? or hd or hdd) near4 (access\$3 or transaction or read or write)) with (complet\$3 or handl\$3 or servic\$3 or execut\$3 or perform\$3) with (non-volatile cache or nvc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 07:48
L64	20	(711/112.ccls. or 711/113.ccls.) and (713/320.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:03
L65	200	((hard drive or hard dis? or hd or hdd) near4 (access\$3 or transaction or read or write)) near6 (complet\$3 or handl\$3 or servic\$3 or execut\$3 or perform\$3) near4 (cache or non-volatile or flash or ???ROM or persistant memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:06
L66	8	((hard drive or hard dis? or hd or hdd) near4 (access\$3 or transaction or read or write)) near6 (complet\$3 or handl\$3 or servic\$3 or execut\$3 or perform\$3) near4 (cache or non-volatile or flash or ???ROM or persistant memory)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:06

EAST Search History

L67	4	((power\$3 down or power\$3-down or spin\$4-down or spin\$4 down or spun-down or spun down) near8 (hard drive or hard dis? or hd or hdd) with (access\$3 or transaction or read or write)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:07
L68	72	((hard drive or hard dis? or hd or hdd)).clm. and 713/320.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:08
L69	3609	(power\$3 down or power\$3-down or spin\$4-down or spin\$4 down or spun-down or spun down).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:09
L70	8	69 and 68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:09